Journal of Imaging Technology

A bimonthly publication of
SPSE—The Society for Imaging Science and Technology

INDEX TO VOLUME 14 1988

Subject 192
Author 193

Number 1, February 1–24
Number 2, April 25–60
Number 3, June 61–94
Number 4, August 95–118
Number 5, October 119–152
Number 6, December 153–194

Journal of Imaging Technology
Volume 14, Number 6, December 1988

Subject Index

Bubble Jet
Bubble generation mechanism in the bubble jet recording process, 5: 120–124

Cameras
Motion equations for four turning axles type high speed focal plane shutters, 4: 116–117

Chemical Management
Chemical treatment of effluent from photofinishing plants, 6: 154–156
In situ ion exchange silver recovery for pollution control, 6: 174–178
Introduction to the management of silver recovery solutions to help meet silver discharge regulations, 6: 178–183
Magnetic water conditioning for control of scaling and biogrowth, 6: 157–160
Silver and the environment, 6: 183–189
Silver recovery methods from photoprocessing solutions, 6: 160–166
Silver recovery using steel wool metallic replacement cartridges, 6: 167–173

Cobalt ferrite
Synthesis and characterization of cobalt ferrite particles and colored magnetic toner prepared therefrom, 1: 1–5

Color
Almost color mixture functions, 4: 108–110

Color image scanner
Color image scanner with an RGB linear image sensor, 3: 68–72

Color pigments
Triboelectric charging properties of organic color pigments, 3: 89–93

Color printing
A continuous-tone laser color printer, 3: 78–89
Color image scanner with an RGB linear image sensor, 3: 68–72
Digital erase masking in color electrophotography, 3: 62–68
Hardcopy reproduction of color videotex images by means of trilevel dot space modulation and ink jet printing, 3: 73–78
Triboelectric charging properties of organic color pigments, 3: 89–93

Development
Construction and characterization of 12-in. long TFEL edge emitter eraser bar for electrophotographic applications, 1: 12–15

Digital halftones
Analysis of tone reproduction characteristics for inkjet images by a modified Yule–Nielsen equation, 1: 6–11

Digital imaging
Color systems calibration for graphic arts: I. Input devices, 2: 47–52
Color systems calibration for graphic arts: II. Output devices, 2: 53–60
Hardcopy reproduction of color videotex images by means of trilevel dot space modulation and ink jet printing, 3: 73–78

Displays
A new interpolation method of television pictures for compact printing systems, 4: 95–99

Electronic imaging
A new interpolation method of television pictures for compact printing systems, 4: 95–99

Electrophotography
Characterization of electrostatic engineering drawing film for xerographic engineering drawing copiers, 4: 99–103
Construction and characterization of 12-in. long TFEL edge emitter eraser bar for electrophotographic applications, 1: 12–15
Digital erase masking in color electrophotography, 3: 62–68
Effects of purification on photoconductivity of phthalocyanine pigment used for electrophotographic carrier generation layer, 5: 136–140
Triboelectric charging properties of organic color pigments, 3: 89–93

Electrostatic
The metering of ink in the grooves of a gravure roll, 5: 140–143

Eraser bar
Construction and characterization of 12-in. long TFEL edge emitter eraser bar for electrophotographic applications, 1: 12–15

Graphic arts
Color systems calibration for graphic arts: I. Input devices, 2: 47–52
Color systems calibration for graphic arts: II. Output devices, 2: 53–60
Information content in images, 1: 15–19

Halftones
Using pixel overlap to obtain more gray levels in halftone reproductions, 2: 25–28

Image evaluation
Almost color mixture functions, 4: 108–110
Information content in images, 1: 15–19
The directivity of the MTF for a quantized continuous tone image, 1: 20–23

Image preservation
Environmental effects on the image stability of photographic products, 4: 111–116
Thiourea and ammonium thiosulfate treatments for the removal of "silvering" from aged negative materials, 2: 43–46

Image processing
Densitometric measurements and image analysis of aerial color infrared photographs, 2: 37–42

Information theory
Information content in images, 1: 15–19

Ink jet
Manufacturing technology of the Tektronix Digital Ink Jet Head, 5: 124–128
Sterically stabilized polymer colloids and their use as ink-jet inks, 5: 129–131

Ink jet printing
Analysis of tone reproduction characteristics for inkjet images by a modified Yule–Nielsen equation, 1: 6–11
Bubble generation mechanism in the bubble jet recording process, 5: 120–124
Hardcopy reproduction of color videotex images by means of trilevel dot space modulation and ink jet printing, 3: 73–78

Ion exchange
In-situ ion exchange silver recovery for pollution control, 6: 174–178

Laser printer
A continuous-tone laser color printer, 3: 78–89

Linear image sensor
Color image scanner with an RGB linear image sensor, 3: 68–72

Lithography
The metering of ink in the grooves of a gravure roll, 5: 140–143

MTF
The directivity of the MTF for a quantized continuous tone image, 1: 20–23

Magnetic imaging
Colored magnetic fluids for character recognition work, 4: 103–107
Energy latitude and toner holding force considerations of reflex magnetic imaging process, 5: 148–152

Non-impact printing
Bubble generation mechanism in the bubble jet recording process, 5: 120–124

Effects of purification on photoconductivity of phthalocyanine pigment used for electrophotographic carrier generation layer, 5: 136–140
Energy latitude and toner holding force considerations of reflex magnetic imaging process, 5: 148–152
Latitude determination for a xerographic printer via computer modeling, 5: 132–135
Manufacturing technology of the Tektronix Digital Ink Jet Head, 5: 124–128
Sterically stabilized polymer colloids and their use as ink-jet inks, 5: 129–131
Synthesis and characterization of cobalt ferrite particles and colored magnetic toner prepared therefrom, 1: 1–5
The role of paper surface properties in non-impact printing, 5: 144–148
The metering of ink in the grooves of a gravure roll, 5: 140–143

Paper
The role of paper surface properties in non-impact printing, 5: 144–148

Photo conductor
Effects of purification on photoconductivity of phthalocyanine pigment used for electrophotographic carrier generation layer, 5: 136–140

Photofinishing
Chemical treatment of effluent from photofinishing plants, 6: 154–156
Silver and the environment, 6: 183–189

Photographic imaging
Chemical treatment of effluent from photofinishing plants, 6: 154–156
Environmental effects on the image stability of photographic products, 4: 111–116
Evaluation on the stability of light faded images of color reversal films according to color difference in CIELAB, 2: 29–37
Introduction to the management of silver recovery solutions to help meet silver discharge regulations, 6: 178–183
Magnetic water conditioning for control of scaling and biogrowth, 6: 157–160
Motion equations for four turning axles type high speed focal plane shutters, 4: 116–117
Silver recovery methods from photoprocessing solutions, 6: 160–166
Silver recovery using steel wool metallic replacement cartridges, 6: 167–173

Print imaging
Analysis of tone reproduction characteristics for inkjet images by a modified Yule–Nielsen equation, 1: 6–11
Bubble generation mechanism in the bubble jet recording process, 5: 120–124
Characterization of electrostatic engineering drawing film for xerographic engineering drawing copiers, 4: 99–103
Colored magnetic fluids for character recognition work, 4: 103–107
Using pixel overlap to obtain more gray levels in halftone reproductions, 2: 25–28

Remote sensing
Densitometric measurements and image analysis of aerial color infrared photographs, 2: 37–42

Restoration
Thiourea and ammonium thiosulfate treatments for the removal of "silvering" from aged negative materials, 2: 43–46

Shutter
Motion equations for four turning axles type high speed focal plane shutters, 4: 116–117

Silver
Silver and the environment, 6: 183–189

Silver recovery
In situ ion exchange silver recovery for pollution control, 6: 174–178
Introduction to the management of silver recovery solutions to help meet silver discharge regulations, 6: 178–183
Silver recovery methods from photoprocessing solutions, 6: 160–166
Silver recovery using steel wool metallic replacement cartridges, 6: 167–173

Stability
Environmental effects on the image stability of photographic products, 4: 111–116
Evaluation on the stability of light faded images of color reversal films according to color difference in CIELAB, 2: 29–37

Toner
Energy latitude and toner holding force considerations of reflex magnetic imaging process, 5: 148–152
Synthesis and characterization of cobalt ferrite particles and colored magnetic toner prepared therefrom, 1: 1–5

Video systems
A new interpolation method of television pictures for compact printing systems, 4: 95–99

Water conditioning
Magnetic water conditioning for control of scaling and biogrowth, 6: 157–160

Xerography
Characterization of electrostatic engineering drawing film for xerographic engineering drawing copiers, 4: 99–103
Latitude determination for a xerographic printer via computer modeling, 5: 132–135

Author Index

Abe, N. See Naing, Win, et al., 1–5
Anderson, S.
—; Goetting, R.: Environmental effects on the image stability of photographic products, 4: 111–116
Asai, A.
—; Hirasawa, S., Endo, I.: Bubble generation mechanism in the bubble jet recording process, 5: 120–124
Baird, J.
—; Cooke, E., Haegele, J. R., Sanderson, D. B.: Introduction to the management of silver recovery solutions to help meet silver discharge regulations, 6: 178–183
Barger, M. S.
—; Hill, T. T.: Thiourea and ammonium thiosulfate treatments for the removal of "silvering" from aged negative materials, 2: 43–46
Beenen, G. See Hershberg, E., et al., 124–128
Blazquez, C. H.
—; Richardson, A. J., Nixon, P. R., Escobar, D.: Densitometric measurements and image analysis of aerial color infrared photographs, 2: 37–42
Boso, B. See Hershberg, E., et al., 124–128
Bradley, S. M. See Ishihara, F. Y., 157–160
Branch, D. A.
Silver recovery methods from photoprocessing solutions, 6: 160–166
Chandrasekhar, R.
Characterization of electrostatic engineering drawing film for xerographic engineering drawing copiers, 4: 99–103
Colored magnetic fluids for character recognition work, 4: 103–107
Synthesis and characterization of cobalt ferrite particles and colored magnetic toner prepared therefrom, 1: 1–5
Cooke, E. See Baird, J., et al., 178–183
Cooley, A. C.
Silver recovery using steel wool metallic replacement cartridges, 6: 167–173
Cooley, A. C.
—; Dagon, T. J., Jenkins, P. W., Robillard, K. A.: Silver and the environment, 6: 183–189
Croucher, M. D. See Wong, R., et al., 129–131
Dagon, T. J. See Cooley, A. C., et al., 183–189
Deshpande, N. V.
Energy latitude and toner holding force considerations of reflex magnetic imaging process, 5: 148–152
Doering, M.
—; Hinz, H. D., Loebl, H.: Hardcopy reproduction of color videotex images by means of trilevel dot space modulation and ink jet printing, 3: 73–78

Endo, I. See Asai, A., et al., 120–124
Engeldrum, P.
Almost color mixture functions, 4: 108–110
Escobar, D. See Blazquez, C. H., et al., 37–42
Firth, R. R.
—; Kessler, D., Muka, E., Naor, M., Owens, J. C.: A continuous-tone laser color printer, 3: 78–89
Fujii, E.
—; Fujii, H., Hisanaga, T.: Evaluation on the stability of light faded images of color reversal films according to color difference in CIELAB, 2: 29–37
Fujii, H. See Fujii, E., et al., 29–37
Fukumoto, M. See Miyake, Y., et al., 95–99
Goetting, R. See Anderson, S., 111–116
Goodman, N.
Latitude determination for a xerographic printer via computer modeling, 5: 132–135
Haegele, J. R. See Baird, J., et al., 178–183
Hair, M. L. See Wong, R., et al., 129–131
Hershberg, E.
—; Beenen, G., Boso, B., Krein, P., Marantz, R., Murdock, B.: Manufacturing technology of the Tektronix Digital Ink Jet Head, 5: 124–128
Hill, T. T. See Barger, M. S., 43–46
Hinz, H. D. See Doering, M., et al., 73–78
Hirasawa, S. See Asai, A., et al., 120–124
Hisanaga, T. See Fujii, E., et al., 29–37
Holub, R.
—; Kearsley, W., Pearson, C.: Color systems calibration for graphic arts: I. Input devices, 2: 47–52
—; Kearsley, W., Pearson, C.: Color systems calibration for graphic arts: II. Output devices, 2: 53–60
Ikeda, I. See Sakai, K., et al., 62–68
Imamura, S. See Kitamura, T., et al., 136–140
Ishihara, F. Y.
—; Bradley, S. M.: Magnetic water conditioning for control of scaling and biogrowth, 6: 157–160
Jenkins, P. W. See Cooley, A. C., et al., 183–189
Kawamata, M. See Kitamura, T., et al., 136–140
Kearsley, W. See Holub, R., et al., 47–52
See also Holub, R., et al., 53–60
Kessler, D. See Firth, R. R., et al., 78–89
Kitamura, T.
—; Imamura, S., Kawamata, M.: Effects of purification on photoconductivity of phthalocyanine pigment used for electrophotographic carrier generation layer, 5: 136–140
Knorre, H.
—; Maennig, D., Stuetzel, K.: Chemical treatment of effluent from photofinishing plants, 6: 154–156
Koch, K. C. See Leksell, D., et al., 12–15
Krein, P. See Hershberg, E., et al., 124–128
Kubo, S. See Miyake, Y., et al., 95–99
See also Naing, Win, et al., 1–5
See also Naing, Win, et al., 20–23
Kun, Z. K. See Leksell, D., et al., 12–15
Leksell, D.
—; Kun, Z. K., Phillips, N. J., Koch, K. C.: Construction and characterization of 12-in. long TFEL edge emitter eraser bar for electrophotographic applications, 1: 12–15
Lindblad, N. R.
—; Tift, R., Watson, P. K.: The metering of ink in the grooves of a gravure roll, 5: 140–143
Loebl, H. See Doering, M., et al., 73–78
Lorenzo, G. A.
In situ ion exchange silver recovery for pollution control, 6: 174–178
Macholdt, H. T.
—; Sieber, A.: Triboelectric charging properties of organic color pigments, 3: 89–93
Maennig, D. See Knorre, H., et al., 154–156
Marantz, R. See Hershberg, E., et al., 124–128
Miyake, Y.
—; Fukumoto, M., Tsukada, N., Kubo, S.: A new interpolation method of television pictures for compact printing systems, 4: 95–99
See also Naing, W., et al., 1–5
See also Naing, W., et al., 20–23
Muka, E. See Firth, R. R., et al., 78–89
Murdock, B. See Hershberg, E., et al., 124–128
Naing, W.
—; Miyake, Y., Abe, N., Kubo, S.: Analysis of tone reproduction characteristics for inkjet images by a modified Yule–Nielsen equation, 1: 1–5
—; Miyake, Y., Kubo, S.: The directivity of the MTF for a quantized continuous tone image, 1: 20–23
Naor, M. See Firth, R. R., et al., 78–89
Nixon, P. R. See Blazquez, C. H., et al., 37–42
Oittinen, P. T.
—; Saarelma, H. J.: Information content in images, 1: 15–19
Oliver, J. F.
The role of paper surface properties in non-impact printing, 5: 144–148
Owens, J. C. See Firth, R. R., et al., 78–89
Pearson, C. See Holub, R., et al., 47–52
See also Holub, R., et al., 53–60
Phillips, N. J. See Leksell, D., et al., 12–15
Richardson, A. J. See Blazquez, C. H., et al., 37–42
Robillard, K. A. See Cooley, A. C., et al., 183–189
Saarelma, H. J. See Oittinen, P. T., 15–19
Sakai, K.
—; Yonenaga, K., Shinguryo, S., Ikeda, I.: Digital erase masking in color electrophotography, 3: 62–68
Sanderson, D. B. See Baird, J., et al., 178–183
Shinguryo, S. See Sakai, K., et al., 62–68
Shio, H. See Takeuchi, R., et al., 68–72
Sieber, A. See Macholdt, H. T., 89–93
Songching, Y.
Motion equations for four turning axles type high speed focal plane shutters, 4: 116–117
Stuetzel, K. See Knorre, H., et al., 154–156
Tadauchi, M. See Takeuchi, R., et al., 68–72
Takeuchi, R.
—; Tsumura, M., Tadauchi, M., Shio, H.: Color image scanner with an RGB linear image sensor, 3: 68–72
Tift, R. See Lindblad, N. R., et al., 140–143
Torpey, P. A.
Using pixel overlap to obtain more gray levels in halftone reproductions, 2: 25–28
Tsukada, N. See Miyake, Y., et al., 95–99
Tsumura, M. See Takeuchi, R., et al., 68–72
Watson, P. K. See Lindblad, N. R., et al., 140–143
Wong, R.
—; Hair, M. L., Croucher, M. D.: Sterically stabilized polymer colloids and their use as ink-jet inks, 5: 129–131
Yonenaga, K. See Sakai, K., et al., 62–68